| AMENDMENT OF SOLICITATION | ON/MODIFICATION OF C | ONTRACT | 1 | 1 1 | 1 1 |
|--|---|--|--|--|---|
| 2. AMENDMENT/MODIFICATION NO. 0001 | 3. EFFECTIVE DATE See Block 16C | 4. REQUISITION/PUR REQ. NO. PR9246995 | RCHAS | 5. PROJECT NO. (If a | 750 |
| 6. ISSUED BY Contracting & Procurement General Services Office, Ame Seafront Compound, Roxas B | rican Embassy Manila | 7. ADMINISTERED B | Y (If ot | her than Item 6) CODE | |
| 8. NAME AND ADDRESS OF CONTRAC | CTOR (No., street, county, State | , and ZIP Code) | (√) | 9A. AMENDMENT OF SOLICI 19RP3820Q0127 9B. DATED (SEE ITEM 11) 08/05/2020 10A. MODIFICATION OF CON NO. | |
| | FACILITY CODE | | | 10B. DATED (SEE ITEM 13) | |
| IT MOD | ng 1 copies of the amendment erence to the solicitation and amendment RS PRIOR TO THE HOUR AND DATE ed, such change may be made by teng hour and date specified. IATION DATA (If required) EM APPLIES ONLY TO MITIES THE CONTRACT/O | ; (b) By acknowledging receipt lent numbers. FAILURE OF YO E SPECIFIED MAY RESULT IN elegram or letter, provided each | of this a DUR ACI N REJEC h telegra | amendment on each copy of the offer KNOWLEDGEMENT TO BE RECEIV CTION OF YOUR OFFER. If by virtue am or letter makes reference to the RACTS/ORDERS, | ED AT THE PLACE of this amendment solicitation and this |
| B. THE ABOVE NUMBERED Office, appropriation date, e | N ITEM 10A. CONTRACT/ORDER IS MODIFII to.) SET FORTH IN ITEM 14, P REEMENT IS ENTERED INTO F | ED TO REFLECT THE ADI | MINIST | T FORTH IN ITEM 14 ARE MAD RATIVE CHANGES (such as ch OF FAR 43.103(b) | |
| E. IMPORTANT: Contractor is not, 14. DECRIPTION OF AMENDMENT/MODIFIC | is required to sign this document and | | 200 | | |
| Solicitation No. 19RP3820Q0 amended to reflect the following. 1) To add Attachment 1, 1 | 127, Supply and Delivering: Reference Photos, 4 pag from August 14, 2020 | es 4:00 PM to August 2 | & Sha | aft U.S. Embassy Manila | , is hereby |
| 15A. NAME AND TITLE OF SIGNER (Type of print) | | JASON B. HASH | | ONTRACTING OFFICER (Type of | r Print) |
| 15B. CONTRACT/OFFEROR | 15C. DATE SIGNED | 16B. UNITED STATES | /_ | AUC | 1 4 2020 |
| (Signature of person authorized to sign ISN 7540-01-152-8070 | <i>y</i> | (Signature of C | | NDARD FORM 30 (REV. 10-83) | 1 4 2020 |

PREVIOUS EDITION UNUSABLE

STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243

Subject:

SUPPLY AND DELIVERY OF PUMP, MOTOR & SHAFT SEAL FOR SF PM

The U.S. Embassy of Manila invites you to submit for the Supply and Delivery of Pump, Motor & Shaft Seal for SF PM

| ITEM NO. | DESCRIPTION | QTY | UNIT |
|--------------|---|-----|------|
| 1 | Submersible pump, 15HP, 1745RPM, 230V, 39amp, 3 phase, Flygt 3000 series CS3152 or | 1 | EACH |
| | approved equal | | |
| 2 | Pump motor, Baldor cat. no. 85600H22, 10HP, 208-230/460V, 3 phase, 3525 RPM, 213TC frame, | 1 | EACH |
| 7. 1.2. 1 | Class F, for Grundfos CR1 20-4 AFGJIE-HQQE | | |
| 3 | Shaft seal HQQE, for Grundfos Pump CRI 20-4 AFGJIE-HQQE, mfr. # 96511844 | 6 | EACH |
| | | | |
| | | | |

Document Summary:

Note: Or approved equal

Shipping Instructions:

The Contractor shall deliver all ordered items to the American Embassy Manila. The address is:

Via Kent, WA:

American Embassy Manila Lincoln Moving & Storage 8420 South 190th St. Kent, WA 98031

Remarks:

Price offer shall be firm fixed-price, VAT exempt. The U.S. Government is exempt from paying the ad valorem/specific tax, customs and duties imposed by the Philippine Government under Section 106(a) and 109 of the Tax Code of 1997, respectively. Thus, price(s) shall be billed to the U.S. Government net of ad valorem tax, value added tax, customs and duties. Payment shall be made via Electronic Fund Transfer (EFT) within 30 days from receipt of the items ordered and the original copy of invoice. The Direct Deposit Sign Up Form for EFT payment will be provided to the vendor upon award. All items should be delivered to US Embassy Manila Seafront Compound, Pasay City. See attached document for further remarks, including applicable clauses. The RFQ is valid until 4:00 PM Manila time, **August 14, 2020.**


Instructions:

You may submit your firm fixed price (Exclusive of VAT) through e-mail to LegayadaBB@state.gov or send through fax at +632 548-6762. For further queries, please get in touch with Bernadette B. Legayada at 301-2000 x 2975.

NOTE: All actions which are over \$30K, prospective vendors must be registered within the Central Contractor Registration (CCR) which is now under System for Award Management (SAM). Refer to site for details on the registration process: http://pd.statebuy.state.gov/content.asp?content_id=62&menu_id=60 (please see attachment)

Attachments #1 Reference Photos 4 PAGES

0001





| CS3152 | Versions: Hose connection Pump dimension Max. weight (Ib) Description; Options: | 4" High head Imp. Code 462 (1ø), 483 (3ø) 6" Std., Imp. Code 433 (1ø), 432 (3ø) 8" Std., Imp. Code 412 (1ø), 411 (3ø) 4" & 6" NPSM threaded, or 4", 6" & 8" slip-on ons: 31 1/2" W (max.) x 30 3/4" H (max.) s.): 400 Cast iron construction; closed solids handling impeller with thrulet, wear ring; rests on stand. Explosion proof (FM approved) variant 3127 091 | TOTAL HEAD PART | | | |
|----------|---|--|-----------------|--|--|--|
| | | Warm liquid version available | | | | |
| | Model number: Motor rating: Voltage (30, 14/15HP): | 3152.181 14HP @ 1160 RPM 15HP @ 1745 RPM 20HP @ 1750 RPM 23HP @ 3500 RPM | 24 20 | | | |
| H | Full load amps: | 200V 41/45 230V 41/45 37/39 460V 18/20 14/16 | 14 | | | |
| - W | Voltage (3Ø, 20 / 23HP): Full load amps: Versions: | 200V 58/61 230V 51/53 460V 26/26 20/21 4" High head Imp. Code 454 (20HP), 268 (SH, 23HP) 6" Standard, Imp. Code 436 (15HP) 10" High Volume, Imp. Code 620 (14HP) | TOTAL HEAD FEET | | | |
| | Hose connection: 4" & 6" NPSM threaded, or 4", 6" & 8" slip-on | | | | | |
| | Pump dimensions Max. weight (lbs.): Description: | nsions: 42" W (max.) x 48-1/4" H (max.) (lbs.): 940 | | | | |
| | Options: Explosion proof (FM approved) variant 3127.091 Warm liquid version available | | | | | |
| C\$ 3300 | | | | | | |
| | Model number: | 3300.181 | | | | |
| | Motor rating: | 60HP@1170RPM & 875RPM 45HP@875RPM | | | | |

